








Upon receiving your enquiry, SORDC will check stock available and re-confirm the prices with official quotation.

SORDC will not be responsible for any errors or omission regarding prices or other information.

SORDC may provide advisory information but cannot undertake any responsibility or liability for any changes of information

Home	Remarks	Description	Size
 <p>BEL 28NM</p>	Double Tube		
	For Normal Use C-O-D	2Kgs Dry power Extinguisher c/w PSB Label, & Wall Bracket	
	for Computer or Electronic Use C-O-D	2KG CO2 EXTG C/W PSB LABEL	
	Quoted Include Installation C-O-D	2Kgs Dry power Extinguisher c/w PSB Label, & Wall Bracket	
	Call Supplier for pricing	Sprinkler Point Installation	
	Built-in anti-tamper function Built-in watchdog to prevent the system from halting Event log preserved up to 10 years	Standard Package Door Access System (Single) AR-757H	
	Fingerprint capacity up to 1, 450, User (card) capacity up to 10, 000, Networking controller function, also directly editable through software	Standard Package Door Access Biometric Reader System (Single) AR-821EF	







Singapore Office Retail Design Consultants Pte Ltd

Revision: 8/29/2008

Upon receiving your enquiry, SORDC will check stock available and re-confirm the prices with official quotation.

SORDC will not be responsible for any errors or omission regarding prices or other information.

SORDC may provide advisory information but cannot undertake any responsibility or liability for any changes of information

Home	Remarks	Description	Size
	<p>Basic System for 1 Main Door Office. Recommended for up to 2000 users, each user can have a card, a PIN code, or both.</p>	<p>HID Entryprox Reader 4045</p>	
	<p>Basic System for 1 Main Door Office. Recommended for up to 100 users</p>	<p>EzeProx Proximity Access Keypad</p>	
 <p>HID 4045 For Main Door</p> <p>Controller</p>	<p>Door Access System with Controller For 1 Main Door and 1 Backdoor Offices</p>	<p>HID 4045 for Main Door + HID 6005 for Backdoor + Controller (for 1 Double Sleeve Door and 1 Single Sleeve Door)</p>	
 <p>EntryPass 2-Reader Controller (EP.S2100)</p>	<p>Controller for Software Applications (Optional)</p>	<p>EntryPass 2-Reader Controller Model: EP.S2100</p>	
	<p>Basic System for 1 Main Door Offices</p>	<p>Biometric Door Access Model: MP4200</p>	
	<p>for Indoor Use</p>	<p>Door Intercom Phones (Pantel Indoor)</p>	

Singapore Office Retail Design Consultants Pte Ltd

Revision: 8/29/2008

Upon receiving your enquiry, SORDC will check stock available and re-confirm the prices with official quotation.

SORDC will not be responsible for any errors or omission regarding prices or other information.

SORDC may provide advisory information but cannot undertake any responsibility or liability for any changes of information

Home	Remarks	Description	Size
	for Indoor Use	Door Intercom Phones (Pancode Indoor)	
	for Outdoor Use	Door Intercom Phones (Pantel Outdoor)	
	for Outdoor Use	Door Intercom Phones (Pancode Outdoor)	
	Door Audio & Video Intercom System	Commax Door Camera Model: DRC-40BS	
	Door Audio & Video Intercom System	Commax Video Phone Model: DPV-4KE	
	Keylock & electronic Push-Button Keypad	Eagle Fire-Resistance Safes (Korea)	ES-035 - H384 x W330 x D300 Wt90 ES045 - H721 x W492 x D520 Wt100 ES-065 - H756 x W556 x D545 Wt130 ES-080 - H636 x W425 x D340 Wt160 ES-100 - H1079 x W585 x D545 Wt210 ES-150 - H1258 x W480 x D462 Wt280


Singapore Office Retail Design Consultants Pte Ltd

Revision: 8/29/2008

Upon receiving your enquiry, SORDC will check stock available and re-confirm the prices with official quotation.

SORDC will not be responsible for any errors or omission regarding prices or other information.

SORDC may provide advisory information but cannot undertake any responsibility or liability for any changes of information

Home	Remarks	Description	Size
	Keylock & Changeable Combination Lock	Eagle Fire-Resistance Safes (Korea)	SS-035 - H625 x W492 x D520 Wt90 SS045 - H721 x W492 x D520 Wt100 SS-065 - H756 x W556 x D545 Wt130 SS-080 - H585 x W545 x D340 Wt160 SS-100 - H1079 x W585 x D545 Wt210 SS-150 - H1258 x W648 x D683 Wt280